


Patient Information		
Name: Essential Test User		Height: 5'4", Weight: 121.8 lbs
Identifier:	Sex: F	Date of Birth: 1995/07/04


mCTSIB Report - January 29 2020

Scene: Oval

Eyes Open ○	Trial 1 Vel: 0.3 Time: 10.0 	Trial 2 Vel: 0.3 Time: 10.0 	Trial 3 Vel: 0.2 Time: 10.0 	
	Trial 1 Vel: 0.3 Time: 10.0 	Trial 2 Vel: 0.4 Time: 10.0 	Trial 3 Vel: 0.3 Time: 10.0 	
	EO Foam ◇	Trial 1 Vel: 0.5 Time: 10.0 	Trial 2 Vel: 0.5 Time: 10.0 	Trial 3 Vel: 0.4 Time: 10.0
	EC Foam △	Trial 1 Vel: 2.6 Time: 10.0 	Trial 2 Vel: 1.4 Time: 10.0 	Trial 3 Vel: 1.3 Time: 10.0



Center of Gravity Alignment



The following definitions may aid you in understanding the report:

- "PULL"** indicates the patient may have pulled on the harness or briefly stepped off of the balance plate during testing.
- "STEP"** indicates the patient may have removed weight from one of their feet, possibly by taking a step.
- "FALL"** indicates the patient completely removed their weight from the balance plate and the test was terminated early. Please note that in all three cases the trial is scored as the maximum sway velocity (6 degrees per sec).